REFERENCES

[1]. AMES. W.F.: Non-linear partial differential equations in engineering, New York, Academic Press (2007).

[2]. AMES. W.F.: Numerical methods for partial differential equations (2^{nd} edition), New York, Academic Press (2007).

[3]. BAKER. G.A., DOUGLIS. V.A. AND KARAKASHIAN. O.A.: On multistep discretizations of semilinear hyperbolic and parabolic equations, Nonlinear Anal,; 4, 579-597 (2009).

[4]. BALES. L.A., DOUGALIS. V.A. AND SERBIN. S.M.: Cosine methods for second order hyperbolic equations with time dependent coefficients, Math. Comput., 45, 65-89 (2009).

[5]. BALES. L.A. Higher order single step fully discrete approximations for nonlinear second order hyperbolic equations, Comput. Math. Appl., 12A, 581-604 (2010).

[6]. BALES. L.A. and DOUGALIS. V.A.: Cosine methods for nonlinear second order hyperbolic equations, Math. Comp., 52, 299-319 (2012).

[7]. BENSON. A.K.: An explicit finite difference solution to the wave equation with variable velocity, J. Comput. Phys., 87, 47-60 (2013).

[8]. BROWN. D.L.: A note on the numerical solution of the wave equation with piecewise smooth coefficients, Math. Comput., 42, 369-391 (2011).

[9]. CARASSO. A.: A least square procedure for the wave equation, Math. Comput., 28, 757-767 (2006).

[10]. CHAWLA, M.M.: Superstable two-step methods for the numerical integration of general second order initial value problems, J. Comp. Appl. Math., 12, 217-220 (2006).

[11]. CIMENT. M. and LEVENTHAL. S.H.: Higher order compact implicit schemes for the wave equation, Math. Comput., 29, 985-994 (2001).

[12]. CIMENT. M. and LEVENTHAL. S.H.: A note on the operator compact implicit method for the wave equation, Math. Comput. 32, 143-147 (2001).

[13]. COLLATZ. L.: The numerical treatment of differential equations, 3rd ed., Springer-Verlag, Berlin (2001).

[14]. DAHLQUIST. G.: On accuracy and unconditional stability of linear multi-step methods for second order differential equations, BIT, 18, 133-136 (2000).

[15]. DOUGLAS. J. and GUNN. J.E.: A general formulation of alternating direction methods, part-1, Numerische Mathematik, 6, 428-453 (1999).

[16]. EVANS. D.J.: Simplified implicit methods for the finite difference solution of parabolic and hyperbolic partial differential equations, J. Inst. Maths Applics., 2, 76-96 (2001).

[17]. FAIRWEATHER. G. and MITCHELL. A.R.: A high accuracy alternating direction method for the wave equation, J. Inst. Math. Appl., 1, 309-316 (2006).

[18]. FERNADES. R.I. and FAIRWEATHER. G.: An alternating direction Galerkin method for a class of second-order hyperbolic equation in two space variables, SIAM. J. Num. Anal., 28, 1265-1281 (2001).

[19]. FOX. L.: Numerical solution of ordinary and partial differential equations, Oxford, Pergamon Press (2001).

[20]. FOX. P,: The solution of hyperbolic partial differential equations by difference methods, Mathematical methods for digital computers, 2, 165-188 (ed. Ralston, A. and Wilf, H.S.), John Wiley and Sons (2001).

[21]. GLASSEY. R. and SCHAEFFER. J.: Convergence of a second order scheme for semilinear hyperbolic equation in (2+1) dimensions, Math. Comput., 56, 87-106 (2002).

[22]. GOURLAY A.R. AND MITCHELL. A.R.: The equivalence of certain alternating direction and locally one dimensional difference methods, SIAM. J. Num. Anal., 6, 37-46 (2002).

[23]. GOURLAY. A.R. and MITCHELL A.R.: A classification of split difference methods for hyperbolic equations in several space dimensions, SIAM. J. Num. Anal., 6, 62-71 (2000).

[24]. GOURLAY. A.R.: Splitting methods for time-dependent partial differential equations, The state of the art in numerical analysis, 757-796 (ed. Jacobs, D.A.H), London : Academic Press (2001).

[25]. GREENSPAN. D.: Approximate solution of initial boundary wave equations problems by boundary value techniques, Comm. ACM, II, 760-763 (2001).

[26]. GREENSPAN. D.: Lectures on the numerical solution of linear singular and nonlinear differential equations, Prentce Hall, Englewood Cliffs., New Jersey (2001).

[27]. GREENSPAN. D.: Discrete numerical methods in Physics and Engineering, Academic Press (2001).

[28]. HOUSTIS. E.N.: Application of method of collocation of lines for solving nonlinear hyperbolic problems, Math. Comput., 31, 443-456 (2001).

[29]. HUANG. C.H. and CUSHMAN. J.H.: High order accurate explicit difference formulas for the classical wave equation. J. Comput. Phys., 40, 376-395 (2003).

[30]. IYENGAR. S.R.K. and MITTAL. R.C.: High order diggerence schemes for the wave equation, (short commutication), Int. J, Num, Meth. Engg., 1623-1628 (2001).

[31]. JAIN. M.K., AHUJA. R. and BHATTACHARYA. S.: Difference schemes for second order hyperbolic equations, Int. J. Num. Meth. Engg., 10, 960-964 (1976).

[32]. JAIN. M.K.: Numerical solution of differential equations (2^{nd} edition), Wiley Eastern Ltd. (2001).

[33]. JAIN. M.K., JAIN. R.K. and MOHANTY. R.K.: High order difference methods for the system of one-dimensional second order hyperbolic equation with nonlinear first derivatives terms, J. Math. Phy. Sci., 26, 401-411 (1992).

[34]. JAIN. P.C. and HOLLA. D.N.: General finite difference approximation for the wave equation with variable coefficients using a cubic spline technique, Comp. Meth. Appl. Mech. Engg., 15, 175 (1979).

[35]. KRISHNAIAH. U.A., MANOHAR. R.P. and STEPHENSON. J.W.: High order methods for elliptic equations with variable coefficients, Numer. Meth. Partial Diff. Eq., 3, 219-227 (2006).

[36]. KRISHNAIAH. U.A., MANOHAR. R.P. and STEPHENSON. J.W.: Fourth order finite difference methods for three dimensional general elliptic problems with Variable Coefficients, Numer. Meth. Partial. Diff. Eq., 3, 229-240 (1987).

[37]. LAPIDUS. L. and PINDER. G.F.: Numerical solution of partial differential equations in science and engineering, New York, John Wiley and Sons (2007).

[38]. LEES. M.: Alternating direction methods for hyperbolic differential equations, J. Soc. Indust. Appl. Math., 10, 610-616 (2001).

[39]. McKEE. S.: Alternating direction method for hyperbolic equations with mixed derivatives, J. Inst. Maths. Applics., 9, 350-356(2003).

[40]. McKEE. S.: High accuracy ADI methods for hyperbolic equation with variable coefficients, J. Inst. Maths. Appl., 11, 105-109 (2001).

[41]. MITCHELL. A.R.: Computational methods in partial differential equations, London, John Wiley and Sons (2000).

[42]. MITCHELL. A.R. and GRIFFITHS. D.F.: The finite difference methods in partial differential equations, John Wiley and Sons (2000).

[43]. MOHANTY. R.K.: Fourth order finite difference methods for certain mildly nonlinear partial differential equations, Ph.D. Theses, I.I.T. Delhi (1989).

[44]. MOHANTY. R.K.: Fourth order finite difference methods for the system of 2-D nonlinear elliptic equations with variable coefficients, Int. J. Computer Math., 46, 195-206 (1992).

[45]. MOHANTY. R.K., GEORGE. K. and JAIN. M.K.: High accuracy difference schemes for a class of singular three space dimensional hyperbolic equations, Int. J. Computer Math. 56, 185-198 (1995).

[46]. MOHANTY. R.K., JAIN. M.K. and GEORGE. K.: High order difference schemes for the system of two space second order nonlinear hyperbolic equations with variables coefficients, J. Comp. Appl. Math., 70, 231-243 (1996).

[47]. MOHANTY. R.K., JAIN. M.K. and GEORGE. K.: On the use of high order difference methods for the system of one space second order nonlinear hyperbolic equations with variable coefficients, J. Comp. Appl. Math., Vol. 72, pp.421-431 (1996).

[48]. MOHANTY. R.K., JAIN. M.K. and GEORGE K.: Fourth order approximation at first time level, linear stability analysis and the numerical solution of multi-dimensional second order non-linear hyperbolic equations in polar coordinate, J. Comp. Appl. Math., 93, 1-12 (2001).

[49]. RAGGET. G.F. and WILSON. P.W.: A fully implicit finite difference approximation to the one-dimensional wave equation using a cubic spline technique, J. Inst. Maths. Applic., 14, 75-77 (2001).

[50]. RAGGET. G.F., STONE. J.A.R. and WISHER. S.J.: The cubic spline solution of practical problems modeled by hyperbolic partial differential equations, Comp. Meth. Appl. Mech. Engg., 8, 139 (2001).

[51]. RICHTMYER.R.D. and MORTON. K.W.: Difference methods for initial - value problem, Interscience, New York (2006).

[52]. ROISIN. B.C.: Analytical linear stability criteria for the Leap – Frog, Dufort-Frankel method, J. Comput. Phys., 53, 227-239 (2001).

[53]. SAMARSKII. A.A.: Locally one dimensional difference schemes for multidimensional hyperbolic equation in an arbitrary region, Zh. Vychist. Mat. I. Mat. Fiz., 4, 21-35 (2000).

[54]. SMITH. G.D.: Numerical solution of partial differential equations : finite difference methods (4^{th} ed.), Oxford Press (2001).

[55]. STERNBERG. N.: A spectral method for nonlinear wave equation. J. Comput. Phys., 72, 422-434 (1987).

[56]. TWIZELL. E.H.: An explicit difference method for the wave equation with extended stability range, BIT, 19, 378-383 (1979).

[57]. TWIZELL. E.H.: Computational methods for partial differential equations, Ellis Horwood Limited, U.K. (1984).

[58]. VARGA. R.S.: Matrix Iterative Analysis, Prentice Hall, Enlgewood Cliffs, New Jersey (1962).

[59]. WEI. M., MAJDA. G. and STRAUSS. W.: Numerical computation of the scattering frequencies for acoustic wave equations, J. Comput. Phys., 75, 345-358 (1988).

[60]. YANENKO. N.N.: The method of fractional steps, New York, Springer-Verlag (2002).

[61]. YOUNG. D.M. and DAUWALDER. J.H.: Discrete representations of partial differential equations, errors in digital computation, (L.B. Rall. Ed.), Wiley, New York. 181-207 (2007).

[62]. YOUNG. D.M.: Iterative solution of large linear systems, Academic Press, 9th ed. New York (2006).